



The First Dock of It's Kind...
THE LAST DOCK YOU WILL EVER NEED.®

EZ Dock Product Guide & Price List

effective: 01/01/13

The Right Dock For Every Application.

Rugged, adaptable, reliable, safe—the EZ Dock system has it all. Our low-density polyethylene docks, boat lifts, and PWC lifts have a unique design that delivers outstanding load capacity, functionality, and safety. A variety of dock sections and lifts, plus an extensive selection of anchoring systems and accessories, make it easy to customize the system.

- | | | |
|----------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> • Low maintenance • Beige color - cool to touch • Variety of anchoring options | <p>Features & Benefits:</p> <ul style="list-style-type: none"> • Convenient accessories • Versatile modular design • Secure connection couplers | <ul style="list-style-type: none"> • Strength and flexibility • Safe, slip-resistant surface • Four-season accessibility |
|----------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|

DOCK SECTIONS


COUPLER PAIRS

Part #: 301100



Special connection couplers are designed to allow sections to move independently under high-stress conditions, yet provide unified stability. Made with recycled material, the couplers are compounded to prevent fatigue problems. The composite coupler bolt and nut eliminate rusting in all water conditions. U.S. Patent #5,281,055.

DESCRIPTION	PART #
Coupler set (bulk pack) w/hardware	301100
Coupler set (2 pair) w/hardware	301200
Coupler set (3 pair) w/hardware	301300



	SIZE	WEIGHT	FLOTATION CAPACITY*	PART #
A.	40" x 5' x 15" 1m x 1.5m x 38cm	100 lbs. 45.4 kg	1,000 lbs. 453.6 kg	204060
B.	40" x 10' x 15" 1m x 3.1m x 38cm	190 lbs. 86.2 kg	2,000 lbs. 907.2 kg	204010
C.	60" x 10' x 15" 1.5m x 3.1m x 38cm	285 lbs. 129.3 kg	3,000 lbs. 1360.8 kg	206010
D.	80" x 10' x 15" 2m x 3.1m x 38cm	385 lbs. 175 kg	4,000 lbs. 1814.4 kg	208010
E.	52" x 10' x 15" (Half-Hexagon) 1.3m x 3.1m x 38cm	210 lbs. 95.3 kg	2,000 lbs. 907.2 kg	260120
F.	Corner Gusset	40 lbs. 18 kg		300501

*NOTE: Because of the rotomolding process, dimensions are nominal.

U.S. Patent #5,281,055

A view of the bottom and inside of an EZ Dock section reveals flotation chambers and an extra-heavy wall thickness that creates tremendous structural integrity. The patented flotation chambers (also referred to as pylons) were designed into our dock sections to provide additional stability on the water making EZ Dock the most stable dock on the market. EZ Dock systems do not depend on or need foam fillings thereby eliminating any environmental concerns.



EZ BoatPort®

Can Your Dock Do This? Keeping your boat high and dry has never been so easy! The new EZ BoatPort® from EZ Dock is a simple drive-on, drive-off method of docking for boats in a wide range of sizes up to 5,000 pounds. Removable and changeable bunks can accommodate boats with a deadrise angle from zero to 21 degrees, making this the perfect choice for many skiffs, runabouts, fishing boats and jet boats. The new EZ BoatPort is also available with new Side Extensions for additional walkaround room and access to the sides of your boat for cleaning, maintenance and covering.

IDLE UP



ADD SLIGHT POWER



ROLL TO FRONT & POWER OFF




The EZ BoatPort is manufactured from long lasting, UV stabilized polyethylene, and includes two replaceable entry wear plates, and two self-centering keel rollers for dependable porting. Optional accessories and packages are available to configure the EZ BoatPort to your needs.



Features & Benefits:

- Self-centering entry roller
- Easy loading & unloading
- Optional flip up cleat to secure boat
- Customizable skid bunks to fit a variety of hull shapes
- Fully adjustable keel rollers can be added for certain hulls
- Two replaceable rear wear plates
- Supplemental flotation available for added buoyancy
- Multiple T-nut locations for custom bunks/rollers



Customize With Ease: The EZ BoatPort's modular design allows for numerous configurations and additional features to fit a wide variety of boat shapes and sizes.

For larger boats with the need for additional flotation and walking space, the EZ BoatPort is also available with Side Extensions and/or Float Tank with Air-Assist pump for lifting capacity of up to 5,000 lbs. 4 options currently available:

- Manual Controlled 110v AC powered pump unit
- Battery powered with solar charging system and manual controls (12v DC deep cycle battery not included)
- Remote Control 110v AC pump unit
- Manual 220v AC European model (includes both European & UK model plugs)






Bunk Options
 L - Long Bunk
 S - Short Bunk

Package Options
Pump Unit Options
 M - Manual Pump Unit R - Remote Pump Unit
 S - Solar Pump Unit E - European Pump Unit
 T - Solar Charged Remote Unit


BP2000*



EZ BoatPort Standard

System Dimensions: 80"W x 164"L
 90 square feet
 For watercraft up to 2,000 lbs.
 Part#: BP2000*


BP3000*



EZ BoatPort with Side Extensions

System Dimensions: 10'W x 14'L
 140 square feet
 For watercraft up to 3,000 lbs.
 Part#: BP3000*


BP3001*



EZ BoatPort with Side Extensions

System Dimensions: 10'W x 19'L
 190 square feet
 For watercraft up to 3,000 lbs.
 Part#: BP3001*


BP4000**



EZ BoatPort with Float Tank & Air-Assist

System Dimensions: 80"W x 19'L
 124 square feet
 For watercraft up to 4,000 lbs.
 Part#: BP4000*M


BP4001**



EZ BoatPort with Float Tank & Air-Assist

System Dimensions: 80"W x 24'L
 156 square feet
 For watercraft up to 4,000 lbs.
 Part#: BP4001*M


BP5000**



EZ BoatPort with Side Extensions, Float Tank & Air-Assist

System Dimensions: 10'W x 20'6"L
 205 square feet
 For watercraft up to 5,000 lbs.
 Part#: BP5000*M

BP5001**



EZ BoatPort with Side Extensions, Float Tank & Air-Assist

System Dimensions: 10'W x 24'L
 240 square feet
 For watercraft up to 5,000 lbs.
 Part#: BP5001*M

**Package options include all additional rollers and choice of long or short bunks
 **Package options include all additional rollers, choice of long or short bunks, and choice of manual, solar, or remote control pump unit

EZ Pontoon Lift


Introducing the EZ Dock Pontoon Lift - This new Pontoon Lift comes in two different models: the PL2000 for standard pontoon boats up to 2000 pounds and the PL3500 for standard pontoon boats up to 3500 pounds. This system offers a drive-on solution for pontoon boats.



Features & Benefits:


- Drive-On System - Allows for positive contact between the boat and lift for stable porting in strong current or windy conditions.
- Versatile mounting options allow for multiple installation methods.
- Durable - Made completely out of marine grade materials.
- Modular System - Allows for expanding or reconfiguring your boatlift / dock by simply adding components. Can be used with standard EZ Dock, traditional floating, or fixed docks.
- Complete Platform Design - Safe and Easy to use without any open areas or exposed metal.

Transom Motor Stop: The Transom Motor Stop attaches to the Pontoon Lift's Underwater Finger Stiffener to stop the boat when it is fully docked on the lift. This optional kit is fully adjustable and comes complete with all attachment hardware and a wear plate.




Air-Assist Pump Unit: There are three air-assist pump unit options available: standard AC powered pump with manual controls; DC battery powered pump with solar charging system and manual controls (deep cycle battery not included); and an AC powered remote controlled pump unit. All pump units provide easy, hassle-free operation with an approximate lift time of 30 - 90 seconds.

SHOWN AS PL2000-M



SHOWN AS PL3500-S



Package Options

Bunk Options
L - Long Bunk
S - Short Bunk

Pump Unit Options
M - Manual Pump Unit
S - Solar Pump Unit
R - Remote Pump Unit
E - European Pump Unit
T - Solar Charged Remote Unit

* Patented
www.ez-dock.com

MODEL	FLOTATION CAPACITY
PL2000-M	1090 lbs.
PL3500-S	1280 lbs.
TMS200	

EZ Port

Which EZ Port® is Right For You?




**EZ Port 3
206013PW**



**EZ Port Max
206032PW**

EZ Port revolutionized docking and launching with the original drive-on PWC lift. Still the industry leader, EZ Port is the simplest drive-on, push-off method of dry-docking. There is no winching, cranking, pumping or hoisting necessary and its durability is the reason why EZ Port remains the number one PWC lift in the market.



**EZ Port Max 2
206034PW**



**EZ Port & Stow
206016PW**

EZ Port MAX® is a Port system that is Modular, Adaptable and eXpandable. It is the first port of its kind to offer EZ on and EZ off inline parking for multiple PWC parking. The EZ Port MAX can be used with standard EZ Dock, traditional fixed, floating or freestanding docks.

MODEL	SIZE	WEIGHT	FLOTATION CAPACITY*	PART #
EZ Port 3	151" x 60" x 15" 3.8m x 1.5m x 38cm	280 lbs. 127 kg.	1300 lbs. 590 kg.	206013PW
EZ Port Max 2 with full bow	188" x 60" x 15" 4.7m x 1.5m x 38.1cm	490 lbs. 222 kg.	1700 lbs. 771 kg.	206034PW
EZ Port Max with integrated bow	149" x 60" x 15" 3.78m x 1.5m x 38cm	320 lbs. 147.4 kg.	1380 lbs. 626 kg.	206032PW
EZ Port & Stow	184" x 60" x 15" 4.7m x 1.5m x 38cm	520 lbs. 236 kg.	1450 lbs. 658 kg.	206016PW

* When attached to an EZ Dock product. Supplemental flotation is available for specific applications.
Note: Because of the rotomolding process, weights and dimensions may vary.



www.ez-dock.com

5

Call Today : 1-800-654-8168

EZ Launch FOR ***KAYAKS & CANOES***

EZ Dock has taken accessibility to another level with their new EZ Launch Accessible Transfer System for Kayaks and Canoes. A first in the industry, the Accessible Transfer System provides individuals with disabilities universal accessibility that exceeds the minimum requirements of the ADA.

The Transfer Bench is built with two heights for easy transfer from wheelchairs of varying sizes and two Transfer Slide Boards to accommodate differing watercraft heights. The Transfer Slide Boards land securely on a railing system that stabilizes the slide board and provides grab bar assistance for easy side movement. All users can simply sit, slide over and drop down into a kayak or canoe then utilize the side rails to pull off or back on.

Features & Benefits

- Guide rails provide for easy access in and out of the water
- Launch rollers for easy movement of the watercraft
- Transfer bench with 2 heights for easy transfer from wheelchairs of varying sizes
- Transfer Slide Boards with 2 heights for accommodating differing watercraft sizes
- Railing system for Slide Board stabilization and user transfer support for easy side movement
- Constructed of all marine grade components and anodized aluminum
- Floating platform adjusts to changing water levels
- Exceeds the minimum requirements of the ADA






2 LEVEL TRANSFER BENCH




TRANSFER SLIDE BOARDS




500890




500950




500952




500953



500955




500956




500900L (left)

or




500900R (right)




500901L

or




500901R




500960L

or




500960R




500962L

or




500962R



500963L

or



500963R



ANCHORING

STANDARD PIPE BRACKET

Part #: 135250 or 135350



Standard-duty polyethylene bracket provides ample anchoring for EZ Port PWC lifts, or for smaller docks in moderate conditions.

DESCRIPTION	PART #
For 2 1/2" (6cm) O.D. pipe	135250
For 3 1/2" (9cm) O.D. pipe	135350

HEAVY-DUTY PIPE BRACKET

Part #: 215250 or 215350



Heavy-duty polyethylene pipe bracket allows docks to adjust to changing water levels.

DESCRIPTION	PART #
For 2 1/2" (6cm) O.D. pipe	215250
For 3 1/2" (9cm) O.D. pipe	215350

DEADWEIGHT BRACKET (LARGE)

Part #: 215350 or 100725P




Add a deadweight insert to our heavy-duty polyethylene pipe bracket to anchor docks in deep water or over rocky bottoms.

DESCRIPTION	PART #
Bracket & Insert for 3 1/2" O.D. pipe	215350
Deadweight insert for #210350 assy.	100725P

HEAVY DUTY PIPE BRACKET WITH INSERT

Part #: 210250 & 210350




Heavy-duty polyethylene pipe bracket allows docks to adjust to changing water levels.

DESCRIPTION	PART #
For 2 1/2" (6cm) O.D. pipe	210250
For 3 1/2" (9cm) O.D. pipe	210350

PIPE STAND-OFF BRACKET

Part #: 1051000



Attaches top of pipe to stationary docks. Fits pipe 2.5" (6cm) to 3.5" (9cm) O.D.

DESCRIPTION	PART #
Polyurethane pipe stand-off bracket	1051000

PIPE AUGERS

Part #: 100255 or 100355



Auger with bolt and nut allows for drilling and setting pipe in lake, river, or ocean bottoms. Pipe sold separately.

DESCRIPTION	PART #
For 2 3/8" (6cm) O.D. pipe	100255
For 3 1/2" (9cm) O.D. pipe	100355

PILING BRACKET

Part #: 300800



Allows lateral position adjustment to piles from 6" (15cm) to 18" (46cm) in diameter. SS hardware.

DESCRIPTION	PART #
Heavy Duty Polyethylene Piling bracket	300800

STIFF-ARM BRACKET

Part #: 100700 and 800095-15



Includes hardware. Order stiff-arm insert, post sleeve, and anchoring pipe separately.

DESCRIPTION	PART #
Mainframe bracket	100700
2" I.D. post sleeve for stiff arm	800095-15

STIFF-ARM HEAVY DUTY BRACKET

Part #: 800099 and 580094



Anchor to a shoreline abutment or to a shoreline post with our heavy-duty stiff-arm. Light-duty stiff-arm bracket also available.

DESCRIPTION	PART #
Frame & Yoke (as shown)	800099
Sea wall attachment bracket	580094

MAINFRAME PILING BRACKET AND HOOPS

Part #: 100800 & 100812




Predrilled for hoops (sold separately) and includes nuts and connectors. SS hardware available.

DESCRIPTION	PART #	HOOP SIZE	PART #
Bracket	100800	12" (30cm)	100812
HOOP SIZE	PART #	16" (41cm)	100816
4" (10cm)	100804	20" (51cm)	100820
6" (15cm)	100806	24" (61cm)	100824
8" (20cm)	100808		

DEADWEIGHT WINCH INSERT

Part #: 100730 and 210350



Deadweight insert and cable winch added to our polyethylene pipe bracket allow easy dock adjustment for water fluctuations. Cable sold separately.

DESCRIPTION	PART #
Deadweight winch insert	100730
Heavy Duty Dock Bracket for winch insert	210350

DEADWEIGHT BRACKET (SMALL)

Part #: 100740 and 100740SS



For light-duty anchoring with chain and/or to attach 4" (10cm) x 4" (10cm) railing or mooring posts. Sold in Pairs. Chain sold separately.

DESCRIPTION	PART #
Deadweight bracket kit	100740
Stainless steel kit	100740SS

ANCHORING

ANCHORING PIPE WITH CAPS

Part #: 100026 or 100036



Galvanized steel, mechanical-grade pipe provides economical anchoring in shallow water. Pipe and caps sold separately.

PIPE LENGTH	PART #
▼ 2 3/8" O.D., 10 gauge:	
16' (41cm)	1160250
18' (46cm)	118025
21' (53cm)	121025
24' (61cm)	124025
▼ 3 1/2" O.D., 10 gauge:	
16' (41cm)	1160350
18' (46cm)	118035
21' (53cm)	121035
24' (61cm)	124035
PIPE CAPS	PART #
Fits 2 3/8" (6cm) O.D. pipe	100026
Fits 3 1/2" (9cm) O.D. pipe	100036

ADAPTOR HINGE

Part #: 100750 or 100750SS



Reversible hinge allows EZ Port PWC lifts or EZ Dock sections to be attached to other floating docks.

DESCRIPTION (sold in pairs)	PART #
Adaptor hinge	100750
All stainless steel	100750SS
Port Max hinge	100751
All stainless steel	100751SS

SWIM LADDER

Part #: 300260



One-piece polyethylene ladder is designed for maximum safety with no exposed hardware and 400 pounds of weight capacity. Slip-resistant textured surface stays cool in hot weather.

DESCRIPTION	PART #
Swim ladder	300260

www.ez-dock.com

RAILING & ACCESSORIES

BARRIER-FREE RAILING

Part #'s Below / For styles, see drawings to right:

Aluminum 42" (1.1m) high guardrails conform with SOBA and ADA guidelines, and are designed to provide security with minimal obstruction. Choose the standard aluminum finish, or optional powder-coated finish—available in sand, royal blue, brown, forest green, and now available in stainless steel. Hardware included.

STYLE	WIDTH	PART NUMBERS
910	10' (3m)	(Aluminum) 100910AL (Powder Coated AL) 105910
911	5' (1.5m)	(Aluminum) 100911AL (Powder Coated AL) 105911
912	10' (3m)	(Aluminum) 100912AL (Powder Coated AL) 105912
913R	10' (3m)	(Aluminum) 100913RAL (Powder Coated AL) 105913R
913L	10' (3m)	(Aluminum) 100913LAL (Powder Coated AL) 105913L
914R	5' (1.5m)	(Aluminum) 100914RAL (Powder Coated AL) 105914R
914L	5' (1.5m)	(Aluminum) 100914LAL (Powder Coated AL) 105914L
915	5' (1.5m)	(Aluminum) 100915AL (Powder Coated AL) 105915
916*	5' (1.5m)	(Aluminum) 100916AL* (Powder Coated AL) 105916*
917	80" (2m)	(Aluminum) 100917AL (Powder Coated AL) 105917
918	80" (2m)	(Aluminum) 100918AL (Powder Coated AL) 105918
919	40" (1m)	(Aluminum) 100919AL (Powder Coated AL) 105919
920*	40" (1m)	(Aluminum) 100920AL* (Powder Coated AL) 105920*

*These styles are equipped with holders for fishing rods.



Style 910



Style 911




Style 912




Style 913L



Style 913R




Style 914L




Style 914R



Style 915



Style 916



Style 917



Style 918



Style 919



Style 920

Now Available in Stainless Steel!

DOCK BUMPER

Part #: 300180



Made from specially formulated marine grade vinyl, the dock bumper is designed to protect the boat gunwales and rub-rails. Dock bumper will attach to dock using embedded T-nuts.

DESCRIPTION	PART #
Dock bumper	300180

CORNER STORAGE BOX WITH CORNER GUSSET

Part #: 300760



Roomy storage in a new design with two removable storage trays that makes the most of space without interfering with foot traffic. Connection boxes for complete utility hookups through this box are available.

DESCRIPTION	PART #
Corner storage box	300760

EZ FLOAT STEP LADDER

Part #: 300270



Patent pending aluminum ladder with polyethylene float that keeps the ladder out of the water when not in use but is readily available when needed.

DESCRIPTION	PART #
EZ Float Step Ladder	300270

DOCK WHEELS

Part #: 900050



Steel frames with polyethylene wheels make movement of docks easier. Sold in pairs.

DESCRIPTION	PART #
Dock wheels	900050

ACCESSORIES

STORAGE BOX

Part #: 300750




Permanently mounted and constructed of weather-resistant materials, the storage box is a great place to store life jackets, towels, and any other essential supplies.

DESCRIPTION	PART #
Storage box	300750

CORNER GUSSET

Part #: 300501



Polyethylene corner gusset adds deck surface and additional stability to dock fingers when needed. 33.5" (85cm) wide, 6" (15cm) high.

DESCRIPTION	PART #
Corner gusset	300501

TIE-DOWN CLEATS

Part #: 300100, 300110



Tie-down cleats (8" [20cm]) and other accessories attach to heavy-duty stainless-steel T-nuts molded in pairs around dock section perimeters.

DESCRIPTION	PART #
Tie-down cleats	300100
10" Heavy Duty Tie-Up cleats	300110

COUPLER INSTALLATION TOOL & COUPLER PARTS

Part #: 9000010



Tool simplifies in-water connection of dock sections.

DESCRIPTION	PART #
Coupler installation tool	9000010
Drive Tool 15/16" Socket Adapter	900005

SECURITY CURBING

Part #: 35116



Constructed of polyethylene, curbing provides a safe border around dock edges for wheelchairs. (Available in brown only)

DESCRIPTION	PART #
Brown curbing 10' section	35116
3" (8cm) Flathead screws	80530SS

POLYETHYLENE BENCH KIT

Part #: 300965, 300970, and 300966




A complete hardware kit that allows construction of a durable polyethylene dock bench. Arm brackets sold separately.

DESCRIPTION	PART #
Polyethylene dock bench	300965
P.E. Bench w/ arm brackets	300970
P.E. Arm kit	300966

DOCK EDGING

Part #: 400117



Constructed of durable vinyl, the edging provides a soft cushion to protect boats from the sides of docks and vice versa.

DESCRIPTION	PART #
10' Section	400117
Kit with 60'	406117

DOCK SLIDE

(Part #'s Shown Below / Requires 2 dock sections)



Our popular dock slide utilizes rugged, durable, polyvinyl-coated steps, and a one-piece polyethylene bedway for a smooth ride. Install with almost any EZ Dock* where water depth is more than 5 feet.

DESCRIPTION (Color)	PART #
Blueberry	300600
Forest Green	300600FG

SUPPLEMENTAL FLOTATION

Part #: 206013FL or 208014FL



Attaches under dock sections and EZ Port lifts to increase the flotation capacity in specific applications.

DESCRIPTION	PART #
Supplemental flotation	206013FL
EZ Port 4 Supplemental	208014FL

HARDWARE CONNECTORS

Part #: 201040SS and 201041SS





For attaching various accessories. 5/8" SS bolts & nuts.

DESCRIPTION	PART #
Male connector (left) with nut	201040SS
Female connector (right) with 2.5" bolt	201041SS
Female connector (right) without bolt	S21141SS

20" UTILITY CHANNEL

(Part #'s Shown Below)



Inside Corner

Outside Corner

Two-piece, 20" wide chaseway attaches to side of dock sections to house conduit for utility lines. Available in 60" or 20" long sections, and with stainless steel hardware option. Inside and outside corners allow complete versatility when configuring docks for convenient utility connections.

DESCRIPTION	PART #
Utility Channel, 5' x 20"	302060
Utility Channel, 20" x 20"	302020
20" Inside Corner	302030
20" Outside Corner	302040

DOCK ACCESS | RAILINGS | GANGWAYS

GANGWAY (ALUMINUM)

Part# G110208 to G100524




Our aluminum gangway features a strong welded construction with an available ThruFlow™ decking walkway. Available in five lengths, from 8' to 24' and four widths: 2', 3', 4' & 5'.

DESCRIPTION	WIDTH	LENGTH	PART #
Gangway	2'	8'	G110208
Gangway	2'	12'	G110212
Gangway	2'	16'	G110216
Gangway	3'	8'	G100308
Gangway	3'	12'	G100312
Gangway	3'	16'	G100316
Gangway	3'	20'	G100320
Gangway	3'	24'	G100324
Gangway	4'	8'	G100408
Gangway	4'	12'	G100412
Gangway	4'	16'	G100416
Gangway	4'	20'	G100420
Gangway	4'	24'	G100424
Gangway	5'	8'	G100508
Gangway	5'	12'	G100512
Gangway	5'	16'	G100516
Gangway	5'	20'	G100520
Gangway	5'	24'	G100524

ABUTMENT KIT

Part# G200465



Hinged bracket with hardware attaches gangway to shoreline abutment. Available in 60" (1.5m) width.

DESCRIPTION	PART #
Abutment Kit	G200465

FLOAT HINGE BRACKET

Part# G200360, G200460, G200560



Hinged bracket with hardware attaches gangway to dock. Available in 2, 3, & 4 pocket connection.

DESCRIPTION	PART #
Float Hinge Bracket (2 Pocket)	G200360
Float Hinge Bracket (3 Pocket)	G200460
Float Hinge Bracket (4 Pocket)	G200560

GANGWAY ROLLER KIT

Part# 300300 or 300400



Gangway roller kit allows end of gangway to adjust with changing water levels. PVC roller for 3' (0.91m) and 4' (1.2m) length; galvanized steel roller for 5' (1.5m) length.

DESCRIPTION	PART #
PVC Gangway Roller Kit	300300
Galvanized Gangway Roller Kit	300400

TRANSITION PLATE

Part# G200350, G200450 or G200550



Our gangway transition plate with ThruFlow™ decking creates a sturdy transition between the shore grade and aluminum gangway. Available in three widths: 3', 4', and 5'.

DESCRIPTION	PART #
Transition Plate	G200350 (3')
Transition Plate	G200450 (4')
Transition Plate	G200550 (5')

POLYETHYLENE GANGWAY

Shown with Optional Railing (Part #'s Shown Below)



Our new polyethylene gangway offers the same durability, stability, and modular versatility of our docks. It will last longer than wood, and its slip-resistant surface enhances safety. Available in 6' sections which can be combined to lengths of 12' and 18'. Railings are also available.


Description

Description	Part #
Shore end 4' wide aluminum transition plate & hinges	400401
6' Long polyethylene gangway section	400406
12' Tube support kit for polyethylene gangway kit	401412
18' Tube support kit for polyethylene gangway kit	401418
Polyethylene gangway-to-gangway kit	400410
Polyethylene gangway-to-hinge kit only, & stainless steel hardware	400420SS
Polyethylene gangway-to-hinge kit only	400430
Polyethylene gangway to abutment kit	400450
Polyethylene gangway to abutment kit, & stainless steel hardware	400450SS
Polyethylene gangway to 60" float kit	400460
Polyethylene gangway to 60" float kit, & stainless steel hardware	400460SS
Polyethylene gangway to 80" float kit	400480
Polyethylene gangway to 80" float kit, & stainless steel hardware	400480SS
Roller Kit for polyethylene gangway	300350

www.ez-dock.com

PLANK GANGWAY

Part #: 200200X



Hinged polyethylene panel creates a smooth transition between shore grade and deck surface.

DESCRIPTION	PART #
Plank Gangway	200200

GANGPLANK MOUNTING KIT

Part #: 100240 or 100340 or 100600



Galvanized steel hinge bracket and hardware, for wood walkways 24" (61cm), 34" (86cm), or 60" (1.5m) wide. Kits include hardware connectors with nuts, hinge-to-float bracket, hinge-to-plank bracket and 2 gangplank stiffeners with carriage bolts, nuts, and washers. Lumber not included.

WIDTH	FITS FLOAT WIDTH	PART #
24" (61cm)	24" Gangway	100240
34" (91cm)	34" Gangway	100340
34" (91cm)	34" Gangway / 60" Dock	160340
60" (1.5m)	60" Gangway	100600
60" (1.5m)	60" Gangway / 80" Dock	100680

EZ Trail

Make Your Nature Trail Accessible To All! The EZ Trail® system from EZ Dock is a smart way to create accessible ramps and pathways in your woodland, wetland, or any other place you need a safe and durable walking platform. Our patented system is less invasive, and the large interconnecting, modular sections are simple to install. In addition, you can easily add sections as needed, or re-configure your walkway anytime you like.

Features & Benefits

- Versatile and expandable self-floating design that is suitable for land and water
- Easily moved unlike fixed walkways, ramps, piers or docks
- Less invasive because it does not require permanent foundation
- Made from low-maintenance and non-toxic materials
- Light can penetrate to foster plant growth beneath
- Suspensible above vegetation by use of supports
- Beige color is attractive and blends with natural surroundings
- Universal accessibility



Treated wood and foam-filled products can be dangerous to wildlife habitats, but EZ Trail utilizes only safe, non-toxic materials. The hollow sections provide stable flotation, and they can be suspended above vegetation during periods of low water, so as not to harm the habitat.



Our goal is to effectively and efficiently meet all of your outdoor walkway needs, while working in harmony with the environment - not against it. Simply put, EZ Trail makes it easy for anyone to enjoy nature at anytime in any setting.



The First Dock Of It's Kind... **THE LAST DOCK YOU WILL EVER NEED.®**

www.ez-dock.com